


MACHINE LEVELLING FEET

SF311

Articulated levelling machine foot with matte finish. Are able to handle very heavy-duty and can be angeled 20 degrees. Hexagon grip at the screw for easy assembly and adjustment. No-slip disk in the bottom.



STOCK COLORS

Black
Additional RAL or custom colors on demand

MATERIAL FASTENERS

Zinc-plated steel

ADDITIONAL INFO

Material: Thermoplastic
Felt: False
Articulated: True
Hexagon socket at the top: False

Article number	Material fasteners	Color	D	d1	H	L	N	Max. limit static load (kg)
SF311-510-105M16X50	-	Black	105	M16	32	50	20	2500
SF311-510-105M16X75	-	Black	105	M16	32	75	20	2500
SF311-510-105M16X100	-	Black	105	M16	32	100	20	2500
SF311-510-105M16X125	-	Black	105	M16	32	125	20	2500
SF311-510-105M16X150	-	Black	105	M16	32	150	20	2500
SF311-510-105M16X175	-	Black	105	M16	32	175	20	2500
SF311-510-105M16X200	-	Black	105	M16	32	200	20	2500

Article number	Material fasteners	Color	D	d1	H	L	N	Max. limit static load (kg)
SF311-510-105M16X225	-	Black	105	M16	32	225	20	2500
SF311-510-105M20X75	-	Black	105	M20	32	75	20	2500
SF311-510-105M20X100	-	Black	105	M20	32	100	20	2500
SF311-510-105M20X125	-	Black	105	M20	32	125	20	2500
SF311-510-105M20X150	-	Black	105	M20	32	150	20	2500
SF311-510-105M20X175	-	Black	105	M20	32	175	20	2500
SF311-510-105M20X200	-	Black	105	M20	32	200	20	2500
SF311-510-105M20X225	-	Black	105	M20	32	225	20	2500
SF311-510-105M20X250	-	Black	105	M20	32	250	20	2500
SF311-510-105M24X75	-	Black	105	M24	32	75	20	2500
SF311-510-105M24X100	-	Black	105	M24	32	100	20	2500
SF311-510-105M24X125	-	Black	105	M24	32	125	20	2500
SF311-510-105M24X150	-	Black	105	M24	32	150	20	2500
SF311-510-105M24X175	-	Black	105	M24	32	175	20	2500
SF311-510-105M24X200	-	Black	105	M24	32	200	20	2500
SF311-510-105M24X225	-	Black	105	M24	32	225	20	2500
SF311-510-105M24X250	-	Black	105	M24	32	250	20	2500
SF311-510-105M30X100	-	Black	105	M30	32	100	26	2500
SF311-510-105M30X125	-	Black	105	M30	32	125	26	2500
SF311-510-105M30X150	-	Black	105	M30	32	150	26	2500
SF311-510-105M30X175	-	Black	105	M30	32	175	26	2500
SF311-510-105M30X200	-	Black	105	M30	32	200	26	2500
SF311-510-105M30X225	-	Black	105	M30	32	225	26	2500
SF311-510-105M30X250	-	Black	105	M30	32	250	26	2500
SF311-510-125M16X50	-	Black	125	M16	37	50	20	3500
SF311-510-125M16X75	-	Black	125	M16	37	75	20	3500
SF311-510-125M16X100	-	Black	125	M16	37	100	20	3500
SF311-510-125M16X125	-	Black	125	M16	37	125	20	3500
SF311-510-125M16X150	-	Black	125	M16	37	150	20	3500
SF311-510-125M16X175	-	Black	125	M16	37	175	20	3500
SF311-510-125M16X200	-	Black	125	M16	37	200	20	3500
SF311-510-125M16X225	-	Black	125	M16	37	225	20	3500
SF311-510-125M20X75	-	Black	125	M20	37	75	20	3500
SF311-510-125M20X100	-	Black	125	M20	37	100	20	3500
SF311-510-125M20X125	-	Black	125	M20	37	125	20	3500
SF311-510-125M20X150	-	Black	125	M20	37	150	20	3500
SF311-510-125M20X175	-	Black	125	M20	37	175	20	3500
SF311-510-125M20X200	-	Black	125	M20	37	200	20	3500
SF311-510-125M20X225	-	Black	125	M20	37	225	20	3500
SF311-510-125M20X250	-	Black	125	M20	37	250	20	3500

Article number	Material fasteners	Color	D	d1	H	L	N	Max. limit static load (kg)
SF311-510-125M24X75	-	Black	125	M24	37	75	20	3500
SF311-510-125M24X100	-	Black	125	M24	37	100	20	3500
SF311-510-125M24X125	-	Black	125	M24	37	125	20	3500
SF311-510-125M24X150	-	Black	125	M24	37	150	20	3500
SF311-510-125M24X175	-	Black	125	M24	37	175	20	3500
SF311-510-125M24X200	-	Black	125	M24	37	200	20	3500
SF311-510-125M24X225	-	Black	125	M24	37	225	20	3500
SF311-510-125M24X250	-	Black	125	M24	37	250	20	3500
SF311-510-125M30X100	-	Black	125	M30	37	100	26	3500
SF311-510-125M30X125	-	Black	125	M30	37	125	26	3500
SF311-510-125M30X150	-	Black	125	M30	37	150	26	3500
SF311-510-125M30X175	-	Black	125	M30	37	175	26	3500
SF311-510-125M30X200	-	Black	125	M30	37	200	26	3500
SF311-510-125M30X225	-	Black	125	M30	37	225	26	3500
SF311-510-125M30X250	-	Black	125	M30	37	250	26	3500