


MACHINE LEVELLING FEET

SF32

Articulated levelling machine foot in stainless steel. Are able to handle heavy-duty and can be angled 10 degrees. Hexagon grip at the screw for easy assembly and adjustment. No-slip disk and loop for ground mounting in the bottom.



RoHS

MATERIAL FASTENERS

Stainless steel

ADDITIONAL INFO

Material: Stainless steel

Felt: False

Articulated: True

Hexagon socket at the top: False

Article number	Material fasteners	Color	D	d1	e	H	L	Max. limit static load (kg)	d3	d4	E
SF32-190-60M10X70	-	-	60	M10	45.5	28	70	700	-	-	-
SF32-190-60M10X100	-	-	60	M10	45.5	28	100	700	-	-	-
SF32-190-60M10X120	-	-	60	M10	45.5	28	120	700	-	-	-
SF32-190-60M12X50	-	-	60	M12	45.5	28	50	700	-	-	-
SF32-190-60M12X70	-	-	60	M12	45.5	28	70	700	-	-	-
SF32-190-60M12X100	-	-	60	M12	45.5	28	100	700	-	-	-
SF32-190-60M12X120	-	-	60	M12	45.5	28	120	700	-	-	-
SF32-190-60M12X150	-	-	60	M12	45.5	28	150	700	-	-	-
SF32-190-60M12X180	-	-	60	M12	45.5	28	180	700	-	-	-

Article number	Material fasteners	Color	D	d1	e	H	L	Max. limit static load (kg)	d3	d4	E
SF32-190-60M16X70	-	-	60	M16	45.5	28	70	700	-	-	-
SF32-190-60M16X100	-	-	60	M16	45.5	28	100	700	-	-	-
SF32-190-60M16X120	-	-	60	M16	45.5	28	120	700	-	-	-
SF32-190-60M16X150	-	-	60	M16	45.5	28	150	700	-	-	-
SF32-190-60M16X180	-	-	60	M16	45.5	28	180	700	-	-	-
SF32-190-60M16X200	-	-	60	M16	45.5	28	200	700	-	-	-
SF32-190-60M20X100	-	-	60	M20	45.5	28	100	700	-	-	-
SF32-190-60M20X120	-	-	60	M20	45.5	28	120	700	-	-	-
SF32-190-60M20X150	-	-	60	M20	45.5	28	150	700	-	-	-
SF32-190-60M20X180	-	-	60	M20	45.5	28	180	700	-	-	-
SF32-190-60M20X230	-	-	60	M20	45.5	28	230	700	-	-	-
SF32-190-60M20X280	-	-	60	M20	45.5	28	280	700	-	-	-
SF32-190-60M24X100	-	-	60	M24	45.5	28	100	700	-	-	-
SF32-190-60M24X120	-	-	60	M24	45.5	28	120	700	-	-	-
SF32-190-60M24X150	-	-	60	M24	45.5	28	150	700	-	-	-
SF32-190-60M24X180	-	-	60	M24	45.5	28	180	700	-	-	-
SF32-190-60M24X230	-	-	60	M24	45.5	28	230	700	-	-	-
SF32-190-60M24X280	-	-	60	M24	45.5	28	280	700	-	-	-
SF32-190-60M24X330	-	-	60	M24	45.5	28	330	700	-	-	-
SF32-190-80M10X70	-	-	80	M10	55.5	31.5	70	1500	-	-	-
SF32-190-80M10X120	-	-	80	M10	55.5	31.5	120	1500	-	-	-
SF32-190-80M12X70	-	-	80	M12	55.5	31.5	70	1500	-	-	-
SF32-190-80M12X100	-	-	80	M12	55.5	31.5	100	1500	30	15	69
SF32-190-80M12X120	-	-	80	M12	55.5	31.5	120	1500	-	-	-
SF32-190-80M12X150	-	-	80	M12	55.5	31.5	150	1500	-	-	-
SF32-190-80M12X180	-	-	80	M12	55.5	31.5	180	1500	-	-	-
SF32-190-80M16X70	-	-	80	M16	55.5	31.5	70	1500	-	-	-
SF32-190-80M16X100	-	-	80	M16	55.5	31.5	100	1500	-	-	-
SF32-190-80M16X120	-	-	80	M16	55.5	31.5	120	1500	-	-	-
SF32-190-80M16X180	-	-	80	M16	55.5	31.5	180	1500	-	-	-
SF32-190-80M20X120	-	-	80	M20	55.5	31.5	120	1500	-	-	-
SF32-190-80M20X180	-	-	80	M20	55.5	31.5	180	1500	-	-	-
SF32-190-80M20X230	-	-	80	M20	55.5	31.5	230	1500	-	-	-
SF32-190-80M20X280	-	-	80	M20	55.5	31.5	280	1500	-	-	-
SF32-190-80M24X100	-	-	80	M24	55.5	31.5	100	1500	-	-	-
SF32-190-80M24X120	-	-	80	M24	55.5	31.5	120	1500	-	-	-
SF32-190-80M24X150	-	-	80	M24	55.5	31.5	150	1500	-	-	-
SF32-190-80M24X180	-	-	80	M24	55.5	31.5	180	1500	-	-	-
SF32-190-80M24X230	-	-	80	M24	55.5	31.5	230	1500	-	-	-
SF32-190-80M24X280	-	-	80	M24	55.5	31.5	280	1500	-	-	-

	Article number	Material fasteners	Color	D	d1	e	H	L	Max. limit static load (kg)	d3	d4	E
	SF32-190-80M24X330	-	-	80	M24	55.5	31.5	330	1500	-	-	-
	SF32-190-80M30X100	-	-	80	M30	55.5	31.5	100	1500	-	-	-
	SF32-190-80M30X120	-	-	80	M30	55.5	31.5	120	1500	-	-	-
	SF32-190-80M30X150	-	-	80	M30	55.5	31.5	150	1500	-	-	-
	SF32-190-80M30X180	-	-	80	M30	55.5	31.5	180	1500	-	-	-
	SF32-190-80M30X230	-	-	80	M30	55.5	31.5	230	1500	-	-	-
	SF32-190-80M30X280	-	-	80	M30	55.5	31.5	280	1500	-	-	-
	SF32-190-80M30X330	-	-	80	M30	55.5	31.5	330	1500	-	-	-
	SF32-190-80M30X380	-	-	80	M30	55.5	31.5	380	1500	-	-	-
	SF32-190-80M36X120	-	-	80	M36	55.5	31.5	120	1500	-	-	-
	SF32-190-80M36X180	-	-	80	M36	55.5	31.5	180	1500	-	-	-
	SF32-190-80M36X230	-	-	80	M36	55.5	31.5	230	1500	-	-	-
	SF32-190-80M36X280	-	-	80	M36	55.5	31.5	280	1500	-	-	-
	SF32-190-80M36X330	-	-	80	M36	55.5	31.5	330	1500	-	-	-
	SF32-190-80M36X380	-	-	80	M36	55.5	31.5	380	1500	-	-	-
	SF32-190-80M36X430	-	-	80	M36	55.5	31.5	430	1500	-	-	-
	SF32-190-100M12X70	-	-	100	M12	68	35	70	2000	-	-	-
	SF32-190-100M12X100	-	-	100	M12	68	35	100	2000	30	15	84
	SF32-190-100M12X120	-	-	100	M12	68	35	120	2000	-	-	-
	SF32-190-100M12X180	-	-	100	M12	68	35	180	2000	-	-	-
	SF32-190-100M16X70	-	-	100	M16	68	35	70	2000	-	-	-
	SF32-190-100M16X100	-	-	100	M16	68	35	100	2000	30	15	84
	SF32-190-100M16X120	-	-	100	M16	68	35	120	2000	-	-	-
	SF32-190-100M16X180	-	-	100	M16	68	35	180	2000	-	-	-
	SF32-190-100M20X120	-	-	100	M20	68	35	120	2000	-	-	-
	SF32-190-100M20X180	-	-	100	M20	68	35	180	2000	-	-	-
	SF32-190-100M20X230	-	-	100	M20	68	35	230	2000	-	-	-
	SF32-190-100M20X280	-	-	100	M20	68	35	280	2000	-	-	-
	SF32-190-100M24X100	-	-	100	M24	68	35	100	2000	-	-	-
	SF32-190-100M24X120	-	-	100	M24	68	35	120	2000	-	-	-
	SF32-190-100M24X150	-	-	100	M24	68	35	150	2000	-	-	-
	SF32-190-100M24X180	-	-	100	M24	68	35	180	2000	-	-	-
	SF32-190-100M24X230	-	-	100	M24	68	35	230	2000	-	-	-
	SF32-190-100M24X280	-	-	100	M24	68	35	280	2000	-	-	-
	SF32-190-100M24X330	-	-	100	M24	68	35	330	2000	-	-	-
	SF32-190-100M30X100	-	-	100	M30	68	35	100	2000	-	-	-
	SF32-190-100M30X120	-	-	100	M30	68	35	120	2000	-	-	-
	SF32-190-100M30X150	-	-	100	M30	68	35	150	2000	-	-	-
	SF32-190-100M30X180	-	-	100	M30	68	35	180	2000	-	-	-
	SF32-190-100M30X230	-	-	100	M30	68	35	230	2000	-	-	-

Article number	Material fasteners	Color	D	d1	e	H	L	Max. limit static load (kg)	d3	d4	E
SF32-190-100M30X280	-	-	100	M30	68	35	280	2000	-	-	-
SF32-190-100M30X330	-	-	100	M30	68	35	330	2000	-	-	-
SF32-190-100M30X380	-	-	100	M30	68	35	380	2000	-	-	-
SF32-190-100M36X120	-	-	100	M36	68	35	120	2000	-	-	-
SF32-190-100M36X180	-	-	100	M36	68	35	180	2000	-	-	-
SF32-190-100M36X230	-	-	100	M36	68	35	230	2000	-	-	-
SF32-190-100M36X280	-	-	100	M36	68	35	280	2000	-	-	-
SF32-190-100M36X330	-	-	100	M36	68	35	330	2000	-	-	-
SF32-190-100M36X380	-	-	100	M36	68	35	380	2000	-	-	-
SF32-190-100M36X430	-	-	100	M36	68	35	430	2000	-	-	-
SF32-190-100M42X120	-	-	100	M42	68	35	120	2000	-	-	-
SF32-190-100M42X150	-	-	100	M42	68	35	150	2000	-	-	-
SF32-190-100M42X180	-	-	100	M42	68	35	180	2000	-	-	-
SF32-190-100M42X280	-	-	100	M42	68	35	280	2000	-	-	-
SF32-190-100M42X330	-	-	100	M42	68	35	330	2000	-	-	-
SF32-190-100M42X380	-	-	100	M42	68	35	380	2000	-	-	-
SF32-190-100M42X430	-	-	100	M42	68	35	430	2000	-	-	-
SF32-190-120M12X50	-	-	120	M12	81	39	50	3000	-	-	-
SF32-190-120M12X70	-	-	120	M12	81	39	70	3000	-	-	-
SF32-190-120M12X100	-	-	120	M12	81	39	100	3000	-	-	-
SF32-190-120M12X120	-	-	120	M12	81	39	120	3000	-	-	-
SF32-190-120M12X150	-	-	120	M12	81	39	150	3000	-	-	-
SF32-190-120M12X180	-	-	120	M12	81	39	180	3000	-	-	-
SF32-190-120M16X70	-	-	120	M16	81	39	70	3000	-	-	-
SF32-190-120M16X100	-	-	120	M16	81	39	100	3000	-	-	-
SF32-190-120M16X120	-	-	120	M16	81	39	120	3000	-	-	-
SF32-190-120M16X150	-	-	120	M16	81	39	150	3000	-	-	-
SF32-190-120M16X180	-	-	120	M16	81	39	180	3000	-	-	-
SF32-190-120M16X200	-	-	120	M16	81	39	200	3000	-	-	-
SF32-190-120M20X100	-	-	120	M20	81	39	100	3000	-	-	-
SF32-190-120M20X120	-	-	120	M20	81	39	120	3000	-	-	-
SF32-190-120M20X150	-	-	120	M20	81	39	150	3000	-	-	-
SF32-190-120M20X180	-	-	120	M20	81	39	180	3000	-	-	-
SF32-190-120M20X230	-	-	120	M20	81	39	230	3000	-	-	-
SF32-190-120M20X280	-	-	120	M20	81	39	280	3000	-	-	-
SF32-190-120M24X100	-	-	120	M24	81	39	100	3000	-	-	-
SF32-190-120M24X120	-	-	120	M24	81	39	120	3000	-	-	-
SF32-190-120M24X150	-	-	120	M24	81	39	150	3000	-	-	-
SF32-190-120M24X180	-	-	120	M24	81	39	180	3000	-	-	-
SF32-190-120M24X230	-	-	120	M24	81	39	230	3000	-	-	-

Article number	Material fasteners	Color	D	d1	e	H	L	Max. limit static load (kg)	d3	d4	E
SF32-190-120M24X280	-	-	120	M24	81	39	280	3000	-	-	-
SF32-190-120M24X330	-	-	120	M24	81	39	330	3000	-	-	-
SF32-190-120M30X100	-	-	120	M30	81	39	100	3000	-	-	-
SF32-190-120M30X120	-	-	120	M30	81	39	120	3000	-	-	-
SF32-190-120M30X150	-	-	120	M30	81	39	150	3000	-	-	-
SF32-190-120M30X180	-	-	120	M30	81	39	180	3000	-	-	-
SF32-190-120M30X230	-	-	120	M30	81	39	230	3000	-	-	-
SF32-190-120M30X280	-	-	120	M30	81	39	280	3000	-	-	-
SF32-190-120M30X330	-	-	120	M30	81	39	330	3000	-	-	-
SF32-190-120M30X380	-	-	120	M30	81	39	380	3000	-	-	-
SF32-190-120M36X120	-	-	120	M36	81	39	120	3000	-	-	-
SF32-190-120M36X180	-	-	120	M36	81	39	180	3000	-	-	-
SF32-190-120M36X230	-	-	120	M36	81	39	230	3000	-	-	-
SF32-190-120M36X280	-	-	120	M36	81	39	280	3000	-	-	-
SF32-190-120M36X330	-	-	120	M36	81	39	330	3000	-	-	-
SF32-190-120M36X380	-	-	120	M36	81	39	380	3000	-	-	-
SF32-190-120M36X430	-	-	120	M36	81	39	430	3000	-	-	-
SF32-190-120M42X120	-	-	120	M42	81	39	120	3000	-	-	-
SF32-190-120M42X150	-	-	120	M42	81	39	150	3000	-	-	-
SF32-190-120M42X180	-	-	120	M42	81	39	180	3000	-	-	-
SF32-190-120M42X230	-	-	120	M42	81	39	230	3000	-	-	-
SF32-190-120M42X280	-	-	120	M42	81	39	280	3000	-	-	-
SF32-190-120M42X330	-	-	120	M42	81	39	330	3000	-	-	-
SF32-190-120M42X380	-	-	120	M42	81	39	380	3000	-	-	-
SF32-190-120M42X430	-	-	120	M42	81	39	430	3000	-	-	-
SF32-190-120M48X180	-	-	120	M48	81	39	180	3000	-	-	-
SF32-190-120M48X230	-	-	120	M48	81	39	230	3000	-	-	-
SF32-190-120M48X280	-	-	120	M48	81	39	280	3000	-	-	-
SF32-190-120M48X330	-	-	120	M48	81	39	330	3000	-	-	-
SF32-190-120M48X380	-	-	120	M48	81	39	380	3000	-	-	-
SF32-190-120M48X430	-	-	120	M48	81	39	430	3000	-	-	-
SF32-190-120M48X480	-	-	120	M48	81	39	480	3000	-	-	-